

TRIGGER POINT INJECTIONS

Policy # 98

Implementation Date: 7/12/24

Review Dates:

Revision Dates: 9/19/25

Disclaimer:

1. Policies are subject to change without notice.
2. Policies outline coverage determinations for Select Health Commercial, Select Health Medicare (CMS), and Select Health Community Care (Medicaid) plans. Refer to the "Policy" section for more information.

Description

A trigger point injection can help soothe myofascial pain, which is usually caused by a "knot" in your muscle (trigger point), especially in your neck, shoulder, arms, legs and lower back. Trigger points are painful "knots" in your muscles that can be very sensitive to touch/pressure. They may form after acute trauma or by repetitive micro-trauma, leading to stress on muscle fibers. It causes the muscle fibers to be stuck in a contracted state.

Trigger point injections commonly involve injections of local anesthetic with or without corticosteroid, botulinum toxin, or without any injection substance (dry needling). A trigger point injection may be beneficial if trigger point pain has not improved with other treatments, including over-the-counter pain medication, heat therapy, massage therapy, myofascial release, and physical therapy.

COMMERCIAL PLAN POLICY AND CHIP (CHILDREN'S HEALTH INSURANCE PROGRAM)

- A. Select Health considers trigger point injections (TPI) to be medically necessary to treat myofascial pain caused by trigger points when all the following requirements are met:

1. There is a focal area of pain in the skeletal muscle; AND
2. There is clinical evidence of a trigger point defined as pain in a skeletal muscle that is associated with at least 2 of the following findings: the presence of a hyperirritable spot and/or taut band identified by palpation and possible referred pain; AND
3. The physical examination identifies a focal hypersensitive bundle or nodule of muscle fiber harder than normal consistency with or without a local twitch response and referred pain; AND
4. Non-invasive conservative therapy is not successful as first-line treatment or movement of a joint or limb is limited or blocked or the TPI is necessary for diagnostic confirmation.

B. Repeat Trigger Point Injections

Repeat trigger point injections (TPI) into previously injected trigger points will be considered medically necessary to treat myofascial pain syndrome when all the following requirements are met:

1. There is a positive pain response from the most recent TPI defined as providing a consistent minimum of 50% relief of primary (index) pain after the TPI measured by the same pain scale* at baseline and post-injection; AND

2. Consistent pain relief from the most recent previous TPI lasting at least 6 weeks; AND
3. The myofascial pain has reoccurred and is causing objective functional limitations measured by a functional scale obtained at baseline and after TPI which demonstrated at least 50% improvement from the previous TPI.

*NOTE: The scales used to measure pain and/or disability must be documented in the medical record. Acceptable scales include, but are not limited to, verbal rating scales, Numerical Rating Scale (NRS) and Visual Analog Scale (VAS) for pain assessment, and Pain Disability Assessment Scale (PDAS), Oswestry Disability Index (ODI), Oswestry Low Back Pain Disability Questionnaire (OSW), Quebec Back Pain Disability Scale (QUE), Roland Morris Pain Scale, Back Pain Functional Scale (BPFS), and the PROMIS profile domains to assess function.

C. Treatment Limitations: Up to three TPI sessions will be reimbursed per 90 days

D. Additional Requirements:

1. Patients should be part of an ongoing conservative treatment program and documentation to support the patient is actively participating in a rehabilitation program, home exercise program or functional restoration program is in the medical record.
2. Trigger point primary index pain must be measured prior to the injection at the beginning of the session.
3. The post procedure pain level must be measured after the TPI at the conclusion of the session using the same scale* utilized at baseline.
4. When documenting the percentage of pain relief from the primary (index) pain compared to the post-injection pain levels, it is insufficient to report only a percentage of pain relief and/or a nonspecific statement of the duration of pain relief. The documentation should include a specific assessment of the duration of relief being consistent or inconsistent with the agent used for the injection and the specific dates the measurements were obtained using the same pain scale* used at baseline.
5. When documenting the ability to perform previously painful movements and activities of daily living (ADLs) it is insufficient to provide a vague or nonspecific statement regarding the improvement of previously painful movements and activities of daily living (ADLs). The documentation should include a functional assessment to show clinically meaningful improvement with painful movements and ADLs, if this metric is used to justify the efficacy of the TPI. Provider should use established and measurable goals and objective scales to assess functionality and ADLs measures.

E. Additional Limitations:

1. A TPI involves the use of local anesthetic and does not include injections of biologicals (e.g., platelet rich plasma, stem cells, amniotic fluid, etc.) and/or any other injectates.
2. It is not considered medically necessary to perform TPI into multiple muscle groups in different anatomical regions during the same session.
3. It is not considered medically necessary to perform multiple blocks (ESI, sympathetic blocks, facet blocks, etc.) during the same session as TPI.
4. Trigger point injections for treatment of headache, neck pain or low back pain in absence of actual trigger points, diffuse muscle pain, a chronic pain syndrome, lumbosacral canal stenosis, fibromyalgia, non-malignant multifocal musculoskeletal pain, complex regional pain syndrome, sexual dysfunction/pelvic pain, whiplash, neuropathic pain, and hemiplegic shoulder pain are considered investigational and therefore are not considered medically reasonable and necessary.
5. Use of fluoroscopy, ultrasound, CT or MRI guidance for performance of TPI is not separately reimbursable.

6. Trigger point injections used on a routine basis, e.g., on a regular periodic and continuous basis, for patients with chronic non-malignant pain syndromes are not considered medically necessary.

SELECT HEALTH MEDICARE (CMS)

Select Health Medicare will follow the commercial plan policy.

SELECT HEALTH COMMUNITY CARE (MEDICAID)

Select Health Community Care will follow the commercial plan policy.

Applicable Codes

Codes	Descriptions
20552	Injection(s); single or multiple trigger point(s), 1 or 2 muscle(s)
20553	Injection(s); single or multiple trigger point(s), 3 or more muscle(s)

Sources

1. *A Randomized, Controlled, Double Blinded Study of Ultrasound Guided Corticosteroid Joint Injections in Patients with Inflammatory – Arthritis & Rheumatism* – March 10, 2010.
<http://www3.interscience.wiley.com/journal/123318594/abstract?CRETRY=1&SRETRY=0>
2. Centers for Medicare & Medicaid Services. Trigger Point Injections (TPI). L36859. April 1, 2024.
3. Cleveland Clinic. Trigger Point Injections. <https://my.clevelandclinic.org/health/treatments/17582-trigger-point-injection>
4. *Current Procedural Terminology (CPT®)*, (2017) – American Medical Association
5. Daniels, E. W. et al. (2018) Existing Evidence on Ultrasound-Guided Injections in Sports Medicine. *The Orthopaedic Journal of Sports Medicine*, 6(2), 1-7. doi: 10.1177/2325967118756576
6. *EnCoder Pro* – Ingenix (2017)
7. *Facets Claim System* – SelectHealth (2017)
8. Knee Joint Injections: Watch for Ultrasound Guidance Denials, Highmark Medicare Service, May 28, 2010.
<http://news.aapc.com/index.php/2010/05/knee-joint-injections-watch-for-ultrasound-guidance-denials/>
9. National Correct Coding Initiative (NCCI) (2017)
10. *Query: Plantar Fasciitis and Ultrasound Guidance*, Podiatry Management Online – July 17, 2010.
<http://www.podiatrym.com/letters2.cfm?id=36509&start=1>

Disclaimer

This document is for informational purposes only and should not be relied on in the diagnosis and care of individual patients. Medical and Coding/Reimbursement policies do not constitute medical advice, plan preauthorization, certification, an explanation of benefits, or a contract. Members should consult with appropriate healthcare providers to obtain needed medical advice, care, and treatment. Benefits and eligibility are determined before medical guidelines and payment guidelines are applied. Benefits are determined by the member's individual benefit plan that is in effect at the time services are rendered.

The codes for treatments and procedures applicable to this policy are included for informational purposes. Inclusion or exclusion of a procedure, diagnosis or device code(s) does not constitute or imply member coverage or provider reimbursement policy. Please refer to the member's contract benefits in effect at the time of service to determine coverage or non-coverage of these services as it applies to an individual member.

Select Health® makes no representations and accepts no liability with respect to the content of any external information cited or relied upon in this policy. Select Health updates its Coverage Policies regularly, and reserves the right to amend these policies without notice to healthcare providers or Select Health members.

Members may contact Customer Service at the phone number listed on their member identification card to discuss their benefits more specifically. Providers with questions about this Coverage Policy may call Select Health Provider Relations at (801) 442-3692.

No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Select Health.

"Intermountain Healthcare" and its accompanying logo, the marks of "Select Health" and its accompanying marks are protected and registered trademarks of the provider of this Service and or Intermountain Health Care, Inc., IHC Health Services, Inc., and Select Health, Inc. Also, the content of this Service is proprietary and is protected by copyright. You may access the copyrighted content of this Service only for purposes set forth in these Conditions of Use.

© CPT Only – American Medical Association

